



DECLARATION OF PERFORMANCE

Nº: 25-752



1. Unique identification code of the product-type/batch number or other identification element

Impremax Polyurea H Supreme
Two component waterproofing product
Batch number on each label

Components	Trade name
Primers	Rayston Epoxy 100, Humidity Primer
Waterproofing membrane	Polyurea Rayston
Protective layer	Impertrans pigmented, Colodur pigmented, Impertrans ECO

2. Intended use

Liquid roof waterproofing

3. Manufacturer

Krypton Chemical
C/Martí i Franquès, 12
43890, L'Hospitalet de l'Infant (Tarragona, Spain)

4. Systems of assessment of verification of constancy of performance

3

5. Harmonized standard

Non applicable

6. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued

ETA-16/0148
DEE 030350-00-0402
Nº1219

7. Notified body

Instituto de Ciencias de la Construcción Eduardo Torroja (IETCC)

8. Declared performance

Essential characteristics	Performance
External fire performance of roofs	B _{roof} (t1) and B _{roof} (t4) (support type A1-A2, slope <20°)
Reaction to fire	E
Use life	W3
Climatic zone	S (Severe)
Use load	P4
Roof slope	S1 to S4
Minimum surface temperature	TL3
Maximum surface temperature	TH4
Hazardous components	Not declared

The performance of the product identified in points 1 and 2 is in conformity with the performance declared in point 8. This Declaration of Performance (DoP) is issued according to Regulation (EU) 305/2011 and under the sole responsibility of the manufacturer identified in point 3.

Signed by Raul Fernandez, Technical Manager on behalf of the manufacturer.
L'Hospitalet de l'Infant, February 10th 2026.

Krypton
Chemical SL
S-42500090
C/ Martí i Franquès, 12 - P.I. Les Típies
43890 L'Hospitalet de l'Infant (Tarragona)
Tel. 977 825 245 Fax 977 825 977
www.kryptonquimica.com